Ultrasound in medicine and biology



Author–Subject Index
Volume 11 (1985)

Compiled by

Michael Halliwell
Department of Medical Physics, Bristol General Hospital, Bristol BS1 6SY, England

PERGAMON PRESS

NEW YORK · OXFORD · BEIJING · FRANKFURT
SAO PAULO · SYDNEY · TOKYO · TORONTO

ULTRASOUND IN MEDICINE AND BIOLOGY

WORLD FEDERATION FOR ULTRASOUND IN MEDICINE AND BIOLOGY

President: HORACE THOMPSON, *Shreveport, U.S.A.*
Vice-President: M. FUKUDA, *Sapporo, Japan*
Past-President: GEORGE KOSSOFF, *Sydney, Australia*
President-Elect: F. WEILL, *Besançon, France*
Treasurer: BARRY GOLDBERG, *Philadelphia, U.S.A.*
Secretary: DAVID ROBINSON, *Sydney, Australia*
Editor of the Journal: DENIS WHITE, *Kingston, Canada*
Councillors: A. KRATOCHWIL, *Baden, Austria*
R. A. MEYER, *Cincinnati, U.S.A.*
H. E. TRIER, *Bonn, G.F.R.*
H. WATANABE, *Kyoto, Japan*
M. ZISKIN, *Philadelphia, U.S.A.*

AFFILIATED SOCIETIES

American Institute of Ultrasound in Medicine (AIUM), Roger C. Sanders, Secretary, Department of Radiology, The John Hopkins Hospital, 600 N. Wolf St., Baltimore, MD 21205, U.S.A.

Australian Society for Ultrasound in Medicine (ASUM), J. Jellins, Secretary, Box R 374, P.O. Royal Exchange, Sydney, NSW 2000, Australia

European Federation of Societies for Ultrasound in Medicine and Biology (EFSUMB), T. Nordshus, Department of Radiology, Rontgen-Barneklinik, Rikshospitalet, Oslo 1, Norway

Indian Society of Medical Ultrasound, Dr. C.V. Vanjani, President, 133A-18 Ram-Kutir, L.J. Road, Mahim, Bombay 400 016, India

Indonesian Society of Medical Ultrasonography (PUSKI), G. Ilyas, Secretary, Bagian Radiologi Fakultas Kedokteranan, Universitas Indonesia, Salemba 6, Jakarta, Indonesia

Japan Society of Ultrasound in Medicine (JSUM), Dr. Y. Tsutsumi, Department of Neurosurgery, Tokyo Teishin Hospital 14-23, Fujimi 2-chome, Chiyoda-ku, Tokyo 102, Japan

Malaysian Society of Ultrasound in Medicine (MSUM), Dr. S. K. Ong, Secretary, N.S. Chinese Maternity Hospital and Medical Center, Jalan Templer, Seremban, Negri Sembilan, Malaysia

Mexican Association of Ultrasound in Medicine A.C., Dr. Eduardo Moragrega, Secretary, Minatitian No. 38, Col. Roma Sur-Del, Benito Juarez, C.P. 06760, Mexico

Sociedade Brasileira de Ultra-som em Medicina e Biologia (SUSEM), M. A. M. Pavani, Secretary, Praca Germania, 45–15° andar CEP 01456, São Paulo, Brazil

Societas Internationalis pro Diagnostica Ultrasonica in Ophthalmologia (SIDUO), J. M. Thijssen, Universiteitskliniek voor Oogheelkunde, Philips van Leydenlaan 15, Nijmegen, The Netherlands

South African Medical Ultrasound Society (SAMUS), E. Goudie, Secretary, P.O. Box 6705, Johannesburg, South Africa

---

Publishing, Advertising, and Subscription Offices: Pergamon Journals Inc., Fairview Park, Elmsford, NY 10523, U.S.A.; or Pergamon Journals Ltd., Headington Hill Hall, Oxford OX3 0BW, England.

Published monthly. Annual institutional subscription (1986): US $225.00; Two-year institutional rate (1986/87): US $427.50; Personal rate for those whose library subscribes at regular rate (1986): US $85.00; Membership rate for members of the World Federation for Ultrasound in Medicine and Biology (1986): US $55.00. Prices are subject to change without notice.

Microform subscriptions: Information available upon request. Prices include postage and insurance. Notify 8 weeks in advance of address changes with a copy of the subscription mailing label.

Copyright © 1986 Pergamon Journals Ltd.

The Item-Fee Code for this publication is: 0301-5629/86 $3.00 + .00

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for copying. Please contact the Subsidiary Rights Manager, Publishing Services Dept. at either Pergamon Journals Ltd. or Pergamon Journals Inc.

Ultrasound in Medicine and Biology (ISSN 0301-5629) is published monthly by Pergamon Press. Application to mail at Second-Class rates pending at Elmsford, NY and additional mailing offices. POSTMASTER: Send address changes to: *Ultrasound in Medicine and Biology*, Pergamon Press, Fairview Park, Elmsford, NY 10523.

AUTHOR/SUBJECT INDEX

A

A-scan
acoustic parameters of ocular tissues (Thijssen), 157
differential diagnosis of intraocular neoplasma with ultrasonography (Verbeek), 163
echo reference standards in ophthalmic ultrasonography (Haigis), 149

A/B ratio
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707

Abdominal vasculature
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
duplex Doppler scanning in the pelvis and abdomen (Taylor), 643

Absorption
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121

Accessory fissure
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461

Acoustic parameters
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121
acoustic parameters of ocular tissues (Thijssen), 157
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
determination of the nonlinearity parameter B/A of biological media (Law), 307
echo reference standards in ophthalmic ultrasonography (Haigis), 149
effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
estimation of varying ultrasonic attenuation (Claesson), 131
frequency-dependent attenuation in breast tissue characterization (Landini), 599
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299
Allen, W. and Whittingham, T. A.: mixing Apple microcomputer graphics for ultrasound scan measurement, 487

Arterial distensibility
transcutaneous detection of relative changes in artery diameter (Hoeks), 51

Attenuation
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605

effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
estimation of varying ultrasonic attenuation (Claesson), 131
frequency-dependent attenuation in breast tissue characterization (Landini), 599

B

B/A
determination of the nonlinearity parameter B/A of biological media (Law), 307

B-mode imaging
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study (Poujol), 171
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
electronically-scanned ophthalmic ultrasound (Susal), 177
frequency independent ultrasound contrast-detail analysis (Smith), 467
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
mixing Apple microcomputer graphics for ultrasound scan measurement (Allan), 487
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
optimization of exposure conditions for medical ultrasound (Nyborg), 245
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

Backscatter
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
Bamber, J. C. and Nassiri, D. K.: effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver, 29
Barnes, R. W., see Rittgers, S. E.
Battye, C. K., see Teague, M. J.
Beach, K. W., see Kohler, T.

Beam profile
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591
Bertrand, M., see Mailloux, G. E.
Bilardo, C., see Griffin, D. R.

Bioeffects
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
does ultrasound induce sister chromatid exchanges? (Miller), 561
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of ir-radiated mouse L cells (Kondo), 113
lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability (Ciaravino), 491
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591
Birch, S. J., see Hames, T. K.

Blood flow
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61
an endoscopic Doppler probe: preliminary clinical evaluation (Silverstein), 347
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43
characterisation of carotid artery disease: comparison of duplex scanning with histology (Ratliff), 835

detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
determination of the hemodynamic factors which influence the carotid Doppler spectral broadening (Douville), 417
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
Doppler color flow mapping (Switzer), 403
Doppler developments in the last quinquennium (Wells), 613
Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis (Cisneros), 319
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707
duplex Doppler examination in renal disease: evaluation of vascular involvement (Rifkin), 341
duplex Doppler scanning in the pelvis and abdomen (Taylor), 643
duplex scanning of the thyroid (Woodcock), 659
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
method for the measurement of the maximum Doppler frequency (Nowicki), 479
noncardiac applications of Doppler (Taylor), 611
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
noninvasive mapping of lower limb arterial lesions (Jager), 515
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results (Kassam), 425
representation of rapidly oscillating structures on the Doppler display (Holen), 267
sources of variability in carotid duplex examination: a prospective study (Kohler), 571
spatial and temporal resolution of aortic Doppler blood velocity signals in normal human subjects (Targett), 577
the accuracy of duplex scanning in the evaluation of early carotid disease (Hames), 819
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the detection of abnormal neonatal cerebral haemodynamics using principal component analysis of the Doppler ultrasound waveform (Evans), 441

the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503
the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography (Hames), 827
transcutaneous detection of relative changes in artery diameter (Hoeks), 51
Bly, S. H. P., Foster, F. S., Patterson, M. S., Foster, D. R. and Hunt, J. W.: artifactual echoes in B-mode images due to multiple scattering, 99
Bodine, Jr., W. J., see Smith, S. W.
Bom, N., see Struyk, P. C.
Boraker, D. K., see Vivino, A. A.

Breast
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
frequency-dependent attenuation in breast tissue characterization (Landini), 599
Brekke, M., see Matre, K.

Bubbles
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
Bui Xuan, B., see Lavandier, B.
Burette, A., see Silverstein, F. E.
Burns, P. N., see Taylor, K. J. W.
Buschmann, W.: present and future role of ultrasonography in routine eye and orbit examination—an introduction, 147
Buschmann, W., see Haigis, W.

C

C-scan
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

Cadaver scanning
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461

Calibration
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
echo reference standards in ophthalmic ultrasonography (Haigis), 149
Campbell, S., see Cohen-Overbeek, T.
Campbell, S., see Griffin, D. R.
Campbell, S., see Teague, M. J.

Canine myocardium
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605

Cardiac output
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
spatial and temporal resolution of aortic Doppler blood velocity signals in normal human subjects (Targett), 577

Cardiology
Doppler color flow mapping (Switzer), 403
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
representation of rapidly oscillating structures on the Doppler display (Holen), 267
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503

Carotid artery
determination of the hemodynamic factors which influence the carotid Doppler spectral broadening (Douville), 417
Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis (Cisneros), 319
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results (Kassam), 425
Carstensen, E. L.: biological effects of acoustic cavitation, 852R
Carstensen, E. L., see Ciaravino, V.

Catheter probe
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61
Cathignol, D., see Lavandier, B.

Cavitation
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

Cell lysis
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

Cerebral arteries
the detection of abnormal neonatal cerebral haemodynamics using principal component analysis of the Doppler ultrasound waveform (Evans), 441
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503
Chahl, L. A., see Fyfe, M. C.
Chan, K. K., Watmough, D. J., Moir, K. and Hope, D. T.: measurement of the efficiency of tissue removal with the Cavitron ultrasonic surgical aspirator and the comparison with a new motor-driven probe, L533
Chant, A. D. B., see Hames, T. K.
Chant, A. D. B., see Ratliff, D. A.

Characterisation
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
determination of the nonlinearity parameter B/A of biological media (Law), 307
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
estimation of varying ultrasonic attenuation (Claesson), 131
frequency-dependent attenuation in breast tissue characterization (Landini), 599
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147

Chemical effects
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113
Chiba, Y., Utsu, M., Kanzaki, T. and Hasegawa, T.: changes in venous flow and intra tracheal flow in fetal breathing movements, 43

Chinese hamster
lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability (Ciaravino), 491
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497

Choroid
differential diagnosis of intraocular neoplasma with ultrasonography (Verbeek), 163
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185
Ciaravino, V., Miller, M. W., Carstensen, E. L. and Dalecki, D.: lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability, 491
Cisneros, J. A., Newhouse, V. L. and Goldberg, B.: Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis, 319
Claesson, I. and Salomonsson, G.: estimation of varying ultrasonic attenuation, 131
Cobbold, R. S. C., see Kassam, M.
Cohen-Overbeek, T., Pearce, J. M. and Campbell, S.: the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound, 329

Color coded Doppler
Doppler color flow mapping (Switzer), 403

Concanqualin
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

Congenital heart disease
Doppler color flow mapping (Switzer), 403
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503

Contractility
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591

Contrast-detail phantom
frequency independent ultrasound contrast-detail analysis (Smith), 467

Contrast media
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
Cook, C. M., see Thompson, R. S.
Crawford, D. C., Morris, D. T., Fenton, D. W. and Pryce, W. I.: possible applications of digital analysis of ultrasonic images of the placenta, 79

CW Doppler
determination of the hemodynamic factors which influence the carotid doppler spectral broadening (Douville), 417
Doppler developments in the last quinquennium (Wells), 613
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results (Kassam), 425
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the detection of abnormal neonatal cerebral haemodynamics using principal component analysis of the Doppler ultrasound waveform (Evans), 441
the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography (Hames), 827

D

Dalecki, D., see Ciaravino, V.
Davies, P.: ultrasound measurement in obstetrics, 853R

Definitions
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
Deltenre, M., see Martin, R. W.
Deltenre, M., see Silverstein, F. E.

Digitised images
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79

Dispersive propagation
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299

Dissipative propagation
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299

DNA synthesis
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113

Dog
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85

Doppler
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61
an endoscopic Doppler probe: preliminary clinical evaluation (Silverstein), 347
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43
characterisation of carotid artery disease: comparison of duplex scanning with histology (Ratliff), 835
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
determination of the hemodynamic factors which influence the carotid Doppler spectral broadening (Douville), 417
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1

Doppler color flow mapping (Switzer), 403
Doppler developments in the last quinquennium (Wells), 613
Doppler spectral characterization of flow disturbances in the carotid with the doppler probe at right angles to the vessel axis (Cisneros), 319
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707.
duplex Doppler examination in renal disease: evaluation of vascular involvement (Rifkin), 341
duplex Doppler scanning in the pelvis and abdomen (Taylor), 643
duplex scanning of the thyroid (Woodcock), 659
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
Johann Christian Doppler (Eden), L537
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
method for the measurement of the maximum Doppler frequency (Nowicki), 479
noncardiac applications of Doppler (Taylor), 611
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
noninvasive mapping of lower limb arterial lesions (Jager), 515
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results (Kassam), 425
representation of rapidly oscillating structures on the Doppler display (Holen), 267
sources of variability in carotid duplex examination: a prospective study (Kohler), 571
spatial and temporal resolution of aortic Doppler blood velocity signals in normal human subjects (Targett), 577
the accuracy of duplex scanning in the evaluation of early carotid disease (Hames), 819
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the detection of abnormal neonatal cerebral haemodynamics using principal component analysis of the Doppler ultrasound waveform (Evans), 441
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503
the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography (Hames), 827

transcutaneous detection of relative changes in artery diameter (Hoeks), 51
Douville, Y., Johnston, K. W. and Kassam, M.: determination of the hemodynamic factors which influence the carotid Doppler spectral broadening, 417

Duplex
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
a combined ultrasonic linear array scanner and pulsed Doppler ultrasound velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
characterisation of carotid artery disease: comparison of duplex scanning with histology (Ratliff), 835
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
Doppler developments in the last quinquennium (Wells), 613
duplex Doppler examination in renal disease: evaluation of vascular involvement (Rifkin), 341
duplex Doppler scanning in the pelvis and abdomen (Taylor), 643
duplex scanning of the thyroid (Woodcock), 659
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
noncardiac applications of Doppler (Taylor), 611
noninvasive mapping of lower limb arterial lesions (Jager), 515
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
sources of variability in carotid duplex examination: a prospective study (Kohler), 571
the accuracy of duplex scanning in the evaluation of early carotid disease (Hames), 819
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503
the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography (Hames), 827
Dunn, F., see Law, W. K.

E

Echo reference standards
echo reference standards in ophthalmic ultrasonography (Haigis), 149
Eden, A.: Johann Christian Döppler, L537

Endoscope
an endoscopic Doppler probe: preliminary clinical evaluation (Silverstein), 347
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61

Elodea
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285

Esophageal varices
an endoscopic Doppler probe: preliminary clinical evaluation (Silverstein), 347

Errors
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
transcutaneous detection of relative changes in artery diameter (Hoeks), 51
Ethier, S., see Mailloux, G. E.
Evans, D. H.: on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound, 735
Evans, D. H., Archer, L. N. J. and Levene, M. I.: the detection of abnormal neonatal cerebral haemodynamics using principal component analysis of the Doppler ultrasound waveform, 441

Exposure
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113
optimization of exposure conditions for medical ultrasound (Nyborg), 245

Eye
contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study (Poujol), 171
echo reference standards in ophthalmic ultrasonography (Haigis), 149
electronically-scanned ophthalmic ultrasound (Susal), 177
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

F

Fenton, D. W., see Crawford, D. C.
Ferrari, L. and Jones, J. P.: the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue, 299

Fetal breathing
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43

Fetal growth retardation
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329

Fetal trachea
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43

Fetal vessels
a combined ultrasonic linear array scanner and pulsed Doppler ultrasound velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71

Field characterisation
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
Fisher, D. C., see Voyles, W. F.

Flow
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
Doppler color flow mapping (Switzer), 403
Doppler developments in the last quinquennium (Wells), 613
Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis (Cisneros), 319
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261
duplex scanning of the thyroid (Woodcock), 659
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625

noncardiac applications of Doppler (Taylor), 611
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease (Snider), 503

Flow model
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
determination of the hemodynamic factors which influence the carotid Doppler spectral broadening (Douville), 417
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
transcutaneous detection of relative changes in artery diameter (Hoeks), 51

Flow mapping
Doppler color flow mapping (Switzer), 403
Doppler developments in the last quinquennium (Wells), 613

Focused ultrasound
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1

Foodstuffs
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1

Foramen of Bochdalek
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461
Forester, G. V., Roy, O. Z. and Mortimer, A. J.: ultrasound intensity and contractile characteristics of rat isolated papillary muscle, 591

Foster, D. R., see Bly, S. H. P.
Foster, F. S., see Bly, S. H. P.

Fourier transform
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
representation of rapidly oscillating structures on the Doppler display (Holen), 267
spatial and temporal resolution of aortic Doppler blood velocity signals in normal human subjects (Targett), 577

Free radical formation
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497

Frequency analysis
representation of rapidly oscillating structures on the Doppler display (Holen), 267

Frequency dependence
effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
frequency-dependent attenuation in breast tissue characterization (Landini), 599
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299

Frequency independence
frequency independent ultrasound contrast-detail analysis (Smith), 467
Frizzell, L. A., see Law, W. K.
Fyfe, M. C. and Chahl, L. A.: the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw angle joint *in vivo,* 273

G

Gallagher, P. J., see Ratliff, D. A.
Gange, R. K., see Martin, R. W.

Gaussian pulses
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299
Gazzard, V. M., see Hames, T. K.
Giddens, D. P., see Ku, D. N.
Gilbert, D. A., see Martin, R. W.
Gilbert, D. A., see Silverstein, F. E.
Gill, R. W.: measurement of blood flow by ultrasound: accuracy and sources of error, 625
Glueck, R. K., Mottley, J. G., Sobel, B. E., Miller, J. G. and Perez, J. E.: changes in ultrasonic attenuation and backscatter of muscle with state of contraction, 605
Goldberg, B., see Cisneros, J. A.
Goldberg, B. B., see Rifkin, M. D.
Gramiak, R., see Holen, J.

Greene, E. R., see Voyles, W. F.
Griffin, D. R., Teague, M. J., Tallet, P., Willson, K., Bilardo, C., Massini, L. and Campbell, S.: a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation, 37
Griffin, D. R., see Teague, M. J.
Gross, D. R., Miller, D. L. and Williams, A. R.: a search for ultrasonic cavitation within the canine cardiovascular system, 85

H

Haigis, W. and Buschmann, W.: echo reference standards in ophthalmic ultrasonography, 149
Hall, A. J.: health effects of medical ultrasound, 551R
Hall, A. J.: quality control in medical ultrasound, 385R
Hall, A. J.: the sixteenth meeting of the British medical ultrasound society, 388R
Hames, T. K., Humphries, K. N., Ratliff, D. A., Birch, S. J., Gazzard, V. M. and Chant, A. D. B.: the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography, 827
Hames, T. K., Ratliff, D. A., Humphries, K. N., Gazzard, V. M., Birth, S. J. and Chant, A. D. B.: the accuracy of duplex scanning in the evaluation of early carotid disease, 819
Hames, T. K., see Ratliff, D. A.

Hand flow
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
Hanson, C., see Jager, K. A.
Harris, G. R.: a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements, 803
Hasegawa, T., see Chiba, Y.

Heart muscle
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591

Heating
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121

HEMA
echo reference standards in ophthalmic ultrasonography (Haigis), 149
Hick, P., see Hoeks, A. P. G.

Histological comparison
characterisation of carotid artery disease: comparison of duplex scanning with histology (Ratliff), 835
Hodgson, K. J., see Woodcock, J. P.
Hoeks, A. P. G., Ruissen, C. J., Hick, P. and Reneman, R. S.: transcutaneous detection of relative changes in artery diameter, 51
Holen, J., Waag, R. C. and Gramiak, R.: representations of rapidly oscillating structures on the Doppler display, 267

Holen, J., Waag, R. C., Gramiak, R., Violante, M. R. and Roe, S. A.: Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity, 261
Humphries, K. N., see Hames, T. K.
Humphries, K. N., see Ratliff, D. A.
Hunt, J. W., see Bly, S. H. P.

Hypertension
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329

Hyperthermia
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121

Hyperthyroidism
duplex scanning of the thyroid (Woodcock), 659

Hydrophone calibration
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803

I

Image digitisation
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79

Image quality
frequency independent ultrasound contrast-detail analysis (Smith), 467

Image texture
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79

In vitro *irradiation*
does ultrasound induce sister chromatid exchanges? (Miller), 561
effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113
lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability (Ciaravino), 491
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

In vivo *irradiation*
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591

Inflammation
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273

Intensity
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

Intensive care
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841

Intestinal flow
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61

Intraesophageal Doppler
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451

Intraocular tumours
contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study (Poujol), 171
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

Intrauterine growth retardation
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329

Irradiation
a search for ultrasonic cavitation within the canine cardiovascular system (Gross), 85
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
does ultrasound induce sister chromatid exchanges? (Miller), 561

effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells (Kondo), 113
lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability (Ciaravino), 491
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591

J

Jager, K. A., Phillips, D. J., Martin, R. L., Hanson, C., Roederer, G. O., Langlois, Y. E., Ricketts, H. J. and Strandness, Jr., D. E.: noninvasive mapping of lower limb arterial lesions, 515
Johnston, K. W., see Douville, Y.
Johnston, K. W., see Kalman, P. G.
Johnston, K. W., see Kassam, M.
Jones, J. P., see Ferrari, L.

K

Kalman, P. G., Johnston, K. W., Zuech, P., Kassam, M. and Poots, K.: in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease, 435
Kanzaki, T., see Chiba, Y.
Karlowicz, P., see Nowicki, A.
Kassam, M., Johnston, K. W. and Cobbold, R. S. C.: quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results, 425
Kassam, M., see Douville, Y.
Kassam, M., see Kalman, P. G.
Kaufman, G. E.: mutagenicity of ultrasound in cultured mammalian cells, 497
Kohler, T., Langlois, Y., Roederer, G. O., Phillips, D. J., Beach, K. W., Primozich, J., Lawrence, R., Nicholls, S. C. and Strandness, Jr., D. E.: sources of variability in carotid duplex examination: a prospective study, 571
Kondo, T. and Yoshii, G.: effect of intensity of 1.2 MHz ultrasound on change in DNA synthesis of irradiated mouse L cells, 113
Kremkau, F., Lizzi, F., Waag, R. and Frizzell, L.: American institute of ultrasound in medicine (1984 meeting), 237R
Ku, D. N., Giddens, D. P., Phillips, D. J. and Strandness, Jr., D. E.: hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies, 13

L

Landini, L., Sarnelli, E. and Squartini, F.: frequency-dependent attenuation in breast tissue characterization, 599
Langlois, Y. E., see Jager, K. A.
Langlois, Y., see Kohler, T.

Lavandier, B., Cathignol, D., Muchada, R., Bui Xuan, B. and Motin, J.: non-invasive aortic blood flow measurement using an intraesophageal probe, 451
Law, W. K., Frizzell, L. A. and Dunn, F.: determination of the nonlinearity parameter B/A of biological media, 307
Lawrence, R., see Kohler, T.
Lesterhuis, W., see Silverstein, F. E.
Levene, M. I., see Evans, D. H.
Levy, B. I., Payen, D. M., Tedgui, A., Xhaard, M. and McIlroy, M. B.: non-invasive ultrasonic cardiac output measurement in intensive care unit, 841

Liver
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461
Livett, A. J. and Preston, R. C.: a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic output parameters for ultrasonic transducers, 793
Lopez, H., see Smith, S. W.
Lotgering, F. K., see Struyk, P. C.

Lymphocytes
stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro* (Vivino), 751

M

MacGregor, A., see Woodcock, J. P.
Mailloux, G. E., Bertrand, M., Stampfler, R. and Ethier, S.: local histogram information content of ultrasound B-mode echographic texture, 743

Malignant flow
duplex scanning of the thyroid (Woodcock), 659
Martin, R. W., Gilbert, D. A., Silverstein, F. E., Deltenre, M., Tytgat, G., Gange, R. K. and Myers, J.: an endoscopic Doppler probe for assessing intestinal vasculature, 61
Martin, R. W., see Silverstein, F. E.
Martin, R. L., see Jager, K. A.
Massini, L., see Griffin, D. R.
Matre, K., Brekke, M. and Pedersen, O. M.: indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment, 585

Maximum frequency detector
method for the measurement of the maximum Doppler frequency (Nowicki), 479
Mayev, R. G.: development of ultrasonic investigations in medicine and biology in the U.S.S.R., 1
McIlroy, M. B., Targett, R. C., Roussin, A. and Seitz, W. S.: Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity, 719
McIlroy, M. B., see Levy, B. I.

McIlroy, M. B., see Targett, R. C.
McKee, J. D., see Arenson, A. M.
Microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
Miller, D., see Vivino, A. A.
Miller, D. D., see Gross, D. R.
Miller, D. L.: microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound, 285
Miller, J. G., see Glueck, R. M.
Miller, M. W.: does ultrasound induce sister chromatid exchanges?, 561
Miller, M. W., see Ciaravino, V.

Models
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
echo reference standards in ophthalmic ultrasonography (Haigis), 149
estimation of varying ultrasonic attenuation (Claesson), 131
frequency independent ultrasound contrast-detail analysis (Smith), 467
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
noninvasive aortic blood flow measurement using an intraesophageal probe (Lavandier), 451
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
Mol, H. J. M., see Thijssen, J. M.
Morris, D. T., see Crawford, D. C.
Mortimer, A. J., see Forester, G. V.
Motin, J., see Lavandier, B.
Mottley, J. G., see Glueck, R. M.
Muchada, R., see Lavandier, B.

Mutation
mutagenicity of ultrasound in cultured mammalian cells (Kaufman), 497
Myers, J., see Martin, R. W.

Myocardial contraction
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605

N

Nanda, N. C., see Switzer, D. F.
Nassiri, D. K., see Bamber, J. C.
Newhouse, V. L., O'Brien, Jr. and Kremkau, F.: IEEE 1984 ultrasonics symposium, 383R
Newhouse, V. L., see Cisneros, J. A.
Nicholls, S. C., see Kohler, T.

Nonlinear propagation
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121
determination of the nonlinearity parameter B/A of biological media (Law), 307

the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299
Norris, C. S., see Rittgers, S. E.
Nowicki, A., Karlowicz, P., Piechocki, M. and Secomski, W.: method for the measurement of the maximum Doppler frequency, 479
Nyborg, W., see Vivino, A. A.
Nyborg, W. L.: optimization of exposure conditions for medical ultrasound, 245

O

Observer variability
sources of variability in carotid duplex examination: a prospective study (Kohler), 571

Ophthalmology
acoustic parameters of ocular tissues (Thijssen), 157
contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study (Poujol), 171
echo reference standards in ophthalmic ultrasonography (Haigis), 149
electronically-scanned ophthalmic ultrasound (Susal), 177
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

Orifice flow
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261

Output
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793
a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
Owen, G. M., see Woodcock, J. P.

P

Paediatric tumours
contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study (Poujol), 171

Papillotomy
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61
Parker, K. J.: tenth international symposium on ultrasonic imaging and tissue characterisation, 855R

Pattern recognition
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
Pasto, M. E., see Rifkin, M. D.
Patterson, M. S., see Bly, S. H. P.
Payen, D. M., see Levy, B. I.

Pearce, J. M., see Cohen-Overbeek, T.
Pedersen, O. M., see Matre, K.
Perez, J. E., see Glueck, R. M.
Perkins, A. C.: the suitability of tissue mimicking phantoms for equipment calibration, 193L

Phantoms
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
echo reference standards in ophthalmic ultrasonography (Haigis), 149
estimation of varying ultrasonic attenuation (Claesson), 131
frequency independent ultrasound contrast-detail analysis (Smith), 467
the suitability of tissue mimicking phantoms for equipment calibration (Perkins), L193
Phillips, D. J., see Jager, K. A.
Phillips, D. J., see Kohler, T.
Phillips, D. J., see Ku, D. N.
Piechocki, M., see Nowicki, A.
Pijpers, L., see Struyk, P. C.

Placenta
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329

Plasma extravasation
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
Poots, K., see Kalman, P. G.

Portal vein
a combined ultrasonic linear array scanner and pulsed Doppler ultrasound velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37

Posterior vitreous detachment
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185
Poujol, J. and Varene, B.: contribution of echography to the diagnosis of retinoblastoma: a homogeneous B-scan study, 171

R

Rat
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591
Ratliff, D. A., Gallagher, P. J., Hames, T. K., Humphries, K. N., Webster, J. H. H. and Chant, A. D. B.: characterisation of carotid artery disease: comparison of duplex scanning with histology, 835
Ratliff, D. A., see Hames, T. K.

Raynaud's phenomenon
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719

Real-time scanning
a combined ultrasonic linear array scanner and pulsed Doppler ultrasound velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects (Teague), 27
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
Doppler color flow mapping (Switzer), 403
electronically-scanned ophthalmic ultrasound (Susal), 177
frequency independent ultrasound contrast-detail analysis (Smith), 467
hypertrophied muscular bands in the region of the foramen of Bochdalek as a cause for an accessory fissure within the liver (Arenson), 461
indication of Doppler sampling on the video image of a linear scanner without modification of commercial equipment (Matre), 585
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
mixing Apple microcomputer graphics for ultrasound scan measurement (Allan), 487
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841
optimization of exposure conditions for medical ultrasound (Nyborg), 245
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147
"real time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185
the validation of duplex scanning and continuous wave Doppler imaging: a comparison with conventional angiography (Hames), 827

Reflectivity
acoustic parameters of ocular tissues (Thijssen), 157

Renal disease
duplex Doppler examination in renal disease: evaluation of vascular involvement (Rifkin), 341

Renal vessels
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms (Rittgers), 523
duplex Doppler examination in renal disease: evaluation of vascular involvement (Rifkin), 341
Reneman, R. S., see Hoeks, A. P. G.
Restori, M.: "real-time" immersion B-scan and C-scan techniques in ophthalmic diagnosis, 185

Retinal motion
electronically-scanned ophthalmic ultrasound (Susal), 177

Retinal detachment
electronically-scanned ophthalmic ultrasound (Susal), 177

Retroduodenal artery
an endoscopic Doppler probe: preliminary clinical evaluation (Silverstein), 347

Reynolds number
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261
Ricketts, H. J., see Jager, K. A.
Rifkin, M. D., Pasto, M. E. and Goldberg, B. B.: duplex Doppler examination in renal disease: evaluation of vascular involvement, 341
Rittgers, S. E., Norris, C. S. and Barnes, R. W.: detection of renal artery stenosis: experimental and clinical analysis of velocity waveforms, 523
Roberts, V. C., see Teague, M. J.
Roederer, G. O., see Jager, K. A.
Roederer, G. O., see Kohler, T.
Rose, S. A., see Holen, J.
Roussin, A., see McIlroy, M. B.
Roy, O. Z., see Forester, G. V.
Ruissen, C. J., see Hoeks, A. P. G.

S

Safety
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
Salomonsson, G., see Claesson, I.
Sarnelli, R., see Landini, L.

Scattering
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
echo reference standards in ophthalmic ultrasonography (Haigis), 149
effect of gaseous inclusions on the frequency dependence of ultrasonic attenuation in liver (Bamber), 293
Secomski, W., see Nowicki, A.
Seitz, W. S., see McIlroy, M. B.

Shear
microstreaming shear as a mechanism of cell death in Elodea leaves exposed to ultrasound (Miller), 285
Shedden, E. J., see Woodcock, J. P.

Sheep models
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71

Shock formation
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121
determination of the nonlinearity parameter B/A of biological media (Law), 307
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299

Signal processing
estimation of varying ultrasonic attenuation (Claesson), 131

Silver nitrate
the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
Silverstein, F. E., Deltenre, M., Tytgat, G., Martin, R. W., Lesterhuis, W., Burette, A. and Gilbert, D. A.: an endoscopic Doppler probe: preliminary clinical evaluation, 347
Silverstein, F. E., see Martin, R. W.

Sister chromatid exchange
does ultrasound induce sister chromatid exchanges? (Miller), 561
lack of effect of high-intensity pulsed ultrasound on sister chromatid exchange and *in vitro* Chinese hamster ovary cell viability (Ciaravino), 491
Skidmore, R., see Wells, P. N. T.
Smith, S. W., Lopez, H. and Bodine, Jr., W. J.: frequency independent ultrasound contrast-detail analysis, 467

Smoking
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79
Snider, A. R.: the use of Doppler ultrasonography for the evaluation of cerebral artery flow patterns in infants with congenital heart disease, 503
Sobel, B. E., see Glueck, R. M.

Speckle
frequency independent ultrasound contrast-detail analysis (Smith), 467
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743

Spectral broadening
determination of the hemodynamic factors which influence the carotid Doppler spectral broadening (Douville), 417
Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis (Cisneros), 319
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
in vitro comparison of alternative methods for quantifying the severity of Doppler spectral broadening for the diagnosis of carotid arterial occlusive disease (Kalman), 435
quantitative estimation of spectral broadening for the diagnosis of carotid arterial disease: method and *in vitro* results (Kassam), 425
the accuracy of duplex scanning in the evaluation of early carotid disease (Hames), 819
Squartini, F., see Landini, L.
Srivastava, A., see Woodcock, J. P.
Stampfler, R., see Mailloux, G. E.

Standardisation
a comparison of the AIUM/NEMA, IEC and FDA (1980) definitions of various acoustic parameters for ultrasonic transducers (Livett), 793

a discussion of procedures for ultrasonic intensity and power calculations from miniature hydrophone measurements (Harris), 803
echo reference standards in ophthalmic ultrasonography (Haigis), 149
Strandness, Jr., D. E., see Jager, K. A.
Strandness, Jr., D. E., see Kohler, T.
Strandness, Jr., D. E., see Ku, D. N.
Struyk, P. C., Pijpers, L., Wladimiroff, J. W., Lotgering, F. K., Tonge, M. and Bom, N.: the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements, 71

Surgery
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1
measurement of the efficiency of tissue removal with the Cavitron ultrasonic surgical aspirator and the comparison with a new motor-driven probe (Chan), L533
Susal, A. L.: electronically-scanned ophthalmic ultrasound, 177
Swindell, W.: a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak", 121
Switzer, D. F. and Nanda, N. C.: Doppler color flow mapping, 403

T

Tallet, P., see Griffin, D. R.
Targett, R. C. and McIlroy, M. B.: spatial and temporal resolution of aortic Doppler blood velocity signals in normal human subjects, 577
Targett, R. C., see McIlroy, M. B.
Taylor, I., see Arenson, A. M.
Taylor, K. J. W.: noncardiac applications of Doppler, 611
Taylor, K. J. W. and Burns, P.N.: duplex Doppler scanning in the pelvis and abdomen, 643
Taylor, M. G., see Teague, M. J.
Teague, M. J., Willson, K., Battye, C. K., Taylor, M. G., Griffin, D. R., Campbell, S. and Roberts, V. C.: a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—I: technical aspects, 27
Teague, M. J., see Griffin, D. R.
Tedgui, A., see Levy, B. I.

Temperature
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591

Texture
local histogram information content of ultrasound B-mode echographic texture (Mailloux), 743
possible applications of digital analysis of ultrasonic images of the placenta (Crawford), 79

Therapy
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1

the effect of single or repeated applications of "therapeutic" ultrasound on plasma extravasation during silver nitrate induced inflammation of the rat hindpaw ankle joint *in vivo* (Fyfe), 273
ultrasound intensity and contractile characteristics of rat isolated papillary muscle (Forester), 591
Thijssen, J. M., Mol, H. J. M. and Timmer, M. R.: acoustic parameters of ocular tissues, 157
Thompson, R. S., Trudinger, B. J. and Cook, C. M.: Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique, 707

Thyroid disease
duplex scanning of the thyroid (Woodcock), 659

Time-distance recorder
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71
Timmer, M. R., see Thijssen, J. M.

Tissue characterisation
changes in ultrasonic attenuation and backscatter of muscle with state of contraction (Glueck), 605
determination of the nonlinearity parameter B/A of biological media (Law), 307
differential diagnosis of intraocular neoplasms with ultrasonography (Verbeek), 163
estimation of varying ultrasonic attenuation (Claesson), 131
frequency-dependent attenuation in breast tissue characterization (Landini), 599
present and future role of ultrasonography in routine eye and orbit examination—an introduction (Buschmann), 147
Tonge, M., see Struyk, P. C.

Torricelli's Law
Doppler ultrasound in orifice flow. *In vitro* studies of the relationship between pressure difference and fluid velocity (Holen), 261

Transducers
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61
artifactual echoes in B-mode images due to multiple scattering (Bly), 99
Doppler developments in the last quinquennium (Wells), 613
electronically-scanned ophthalmic ultrasound (Susal), 177
Trudinger, B. J., see Thompson, R. S.

Turbulence
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
Tytgat, G., see Martin, R. W.
Tytgat, G., see Silverstein, F. E.

U

Ultrasonic catheter
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61

Ultrasound propagation
a theoretical study of nonlinear effects with focused ultrasound in tissues: an "acoustic Bragg peak" (Swindell), 121

determination of the nonlinearity parameter B/A of biological media (Law), 307
the propagation of Gaussian modulated pulses in dissipative and/or dispersive media such as tissue (Ferrari), 299

Umbilical vessels
changes in venous flow and intra tracheal flow in fetal breathing movements (Chiba), 43
Doppler ultrasound waveforms in the fetal umbilical artery: quantitative analysis technique (Thompson), 707

Utero-placental perfusion
the antenatal assessment of utero-placental and feto-placental blood flow using Doppler ultrasound (Cohen-Overbeek), 329
Utsu, M., see Chiba, Y.

V

Valvular disease
Doppler color flow mapping (Switzer), 403
Varene, B., see Poujol, J.

Varices
an endoscopic Doppler probe for assessing intestinal vasculature (Martin), 61

Vaso constriction
Doppler ultrasonic investigation of Raynaud's Phenomenon: effect of temperature on blood velocity (McIlroy), 719
Verbeek, A. M.: differential diagnosis of intraocular neoplasms with ultrasonography, 163

Veterinary science
development of ultrasonic investigations in medicine and biology in the USSR (Mayer), 1

Video synchronisation
mixing Appie microcomputer graphics for ultrasound scan measurement (Allan), 487
Violante, M. R., see Holen, J.

Viscosity
Doppler ultrasound in orifice flow. In vitro studies of the relationship between pressure difference and fluid velocity (Holen), 261

Vitreo-retinal adhesion
"real-time" immersion B-scan and C-scan techniques in ophthalmic diagnosis (Restori), 185

Vitreous tissue motion
electronically-scanned ophthalmic ultrasound (Susal), 177
Vivino, A. A., Boraker, D. K., Miller, D. and Nyborg, W.: stable cavitation at low ultrasonic intensities induces cell death and inhibits ^{3}H-TdR incorporation by con-a-stimulated murine lymphocytes *in vitro,* 751

Volume flow
a combined ultrasonic linear array scanner and pulsed Doppler velocimeter for the estimation of blood flow in the foetus and adult abdomen—II: clinical evaluation (Griffin), 37
Doppler developments in the last quinquennium (Wells), 613
measurement of blood flow by ultrasound: accuracy and sources of error (Gill), 625
on the measurement of the mean velocity of blood flow over the cardiac cycle using Doppler ultrasound (Evans), 735
the time-distance recorder as a means of improving the accuracy of fetal blood flow measurements (Struyk), 71

Vortex flow
Doppler spectral characterization of flow disturbances in the carotid with the Doppler probe at right angles to the vessel axis (Cisneros), 319
Voyles, W. F., Altobelli, S. A., Fisher, D. C. and Greene, E. R.: a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow, 727

W

Waag, R. C., see Holen, J.

Walsh transform
non-invasive ultrasonic cardiac output measurement in intensive care unit (Levy), 841

Waveform averaging
hemodynamics of the normal human carotid bifurcation: *in vitro* and *in vivo* studies (Ku), 13
Webster, J. H. H., see Ratliff, D. A.
Wells, P. N. T. and Skidmore, R.: Doppler developments in the last quinquennium, 613
Whittingham, T. A., see Allan, W.
Williams, A. R., see Gross, D. R.
Willson, K., see Griffin, D. R.
Willson, K., see Teague, M. J.
Wladimiroff, J. W., see Struyk, P. C.
Woodcock, J. P., Owen, G. M., Shedden, E. J., Hodgson, K. J., MacGregor, A. and Srivastava, A.: duplex scanning of the thyroid, 659

X

Xhaard, M., see Levy, B. I.

Y

Yoshii, G., see Kondo, T.

Z

Zero crossing
a comparison of digital and analog methods of Doppler spectral analysis for quantifying flow (Voyles), 727
method for the measurement of the maximum Doppler frequency (Nowicki), 479
Zuech, P., see Kalman, P. G.

ISSN 0301-5629


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8